10/21/2005 FRI 16:20 FAX 949 282 1002 FARJAMI & FARJAMI LLP +++ USPTO

2 007/025

Attorney Docket No.: 01CON207P Application Serial No.: 10/004,655

List of Claims:

Claim 1 (Currently Amended): A communication method for use in a communication

system including a first communication device in communication with a second communication

device over a packet network, said method comprising the steps of:

receiving a first compressed data from said second communication device by said first

communication device over said packet network, wherein said first compressed data is

compressed according to a first protocol;

decompressing said first compressed data, by said first communication device, according

to said first protocol to generate a first decompressed data;

compressing said first decompressed data to generate a second compressed data, wherein

said second compressed data is compressed by said first communication device according to a

second protocol;

transmitting said second compressed data to a third communication device in

communication with said first communication device;

receiving a third compressed data from said third communication device by said first

communication device, wherein said third compressed data is compressed according to said

second protocol; and

transmitting said third compressed data to said second communication device, without

decompressing said third compressed data, by said first communication device to said second

communication device over said packet network;

wherein said first protocol differs from said second protocol.

Page 2 of 20

Claim 2 (Cancelled)

Claim 3 (Currently Amended): The method of claim [[2]] 1, wherein said first protocol has a plurality of first parameters and said second protocol has a plurality of second parameters, and wherein at least one parameter of said plurality of first parameters is different

Claim 4 (Original): The method of claim 3, wherein said at least one parameter is a dictionary size.

than a corresponding parameter of said plurality of second parameters.

Claim 5 (Currently Amended): The method of claim [[1]] 3, wherein said first protocol is different than V.44 and said second protocol is V.44.

Claim 6 (Currently Amended): The method of claim [[5]] 1, wherein said first protocol is V.44 and said second protocol is V.42bis.

Claim 7 (Currently Amended): A communication method for use in a communication system including a first modern, a second modern and a third modern, said method comprising the steps of:

receiving a call from said first modem by said second modem over a telephone line;

contacting said third modem by said second modem over a packet network;

receiving information, from said third modem by said second modem, relating to one or

more data compression protocols supported by said third modem;

Page 3 of 20

01CXT007IN

handshaking by said second modem with said first modem to establish a connection; and negotiating a first data compression protocol by said second modem with said first modem, wherein said first data compression protocol is according to said information relating to one of said one or more data compression protocols.

Claim 8 (Original): The method of claim 7 further comprising the steps of:

receiving a first compressed data from said first modem by said second modem, wherein said first compressed data is compressed according to said first data compression protocol; and transmitting said first compressed data to said third modem by said second modem.

Claim 9 (Currently Amended): The method of claim 8 further comprising the steps of:
receiving a second compressed data from said third modem by said second modem,
wherein said second compressed data is compressed according to a second data compression
protocol, wherein said first data compression protocol differs from said second data compression
protocol;

decompressing said second compressed data, by said second modern, according to said second data compression protocol to generate a second decompressed data; and

compressing said second decompressed data to generate a third compressed data, wherein said third compressed data is compressed by said second modem according to said first protocol; and

transmitting said third compressed data to said first modern by said second modern.

Claim 10 (Currently Amended): The method of claim 7 further comprising the steps of:

Page 4 of 20

01CXT007IN

receiving a second compressed data from said third modem by said second modem, wherein said second compressed data is compressed according to a second data compression protocol, wherein said first data compression protocol differs from said second data compression protocol;

decompressing said second compressed data, by said second modem, according to said second data compression protocol to generate a second decompressed data; and

compressing said second decompressed data to generate a third compressed data, wherein said third compressed data is compressed by said second modern according to said first protocol; and

transmitting said third compressed data to said first modem by said second modem.

Claim 11 (Original): The method of claim 7, wherein said information relating to said one or more data compression protocols includes information relating to at least one parameter of at least one of said one or more data compression protocols.

Claim 12 (Original): The method of claim 11, wherein said at least one parameter is a dictionary size.

Claim 13 (Original): The method of claim 7 further comprising the steps of:

determining that said first data compression protocol, including its parameters, is the same as a second data compression protocol, including its parameters, negotiated between said third modern and a fourth modern;

Page 5 of 20

Attorney Docket No.: 01CON207P

Application Serial No.: 10/004,655

receiving a first compressed data from said third modem by said second modem, wherein

said first compressed data is compressed according to said first data compression protocol; and

transmitting said first compressed data to said first modem by said second modem.

Claim 14 (Currently Amended): A communication device comprising:

a receiver capable of receiving a first compressed data from a first device over a packet

network, wherein said first compressed data is compressed according to a first protocol;

a decompressing module capable of decompressing said first compressed data according

to said first protocol to generate a first decompressed data;

a compressing module capable of compressing said first decompressed data according to

a second protocol to generate a second compressed data, wherein said second protocol differs

from said first protocol; and

a transmitter capable of transmitting said second compressed data to a second device over

a communication line;

wherein a third compressed data from said second device is passed through, without

decompressing said third compressed data, to said first device over said packet network, and

wherein said third compressed data is compressed according to said second protocol.

Claim 15 (Cancelled)

Claim 16 (Currently Amended): The device of claim [[15]] 14, wherein said first

protocol has a plurality of first parameters and said second protocol has a plurality of second

Page 6 of 20

01CXT007IN

parameters, and wherein at least one parameter of said plurality of first parameters is different

than a corresponding parameter of said plurality of second parameters.

Claim 17 (Original): The device of claim 16, wherein said at least one parameter is a

dictionary size.

Claim 18 (Currently Amended): The device of claim 14, wherein said first protocol is

different than V.44 and said second protocol is V.44.

Claim 19 (Currently Amended): The device of claim [[18]] 14, wherein said first

protocol is V.44 and said second protocol is V.42bis.

Claim 20 (Original): The device of claim 14, wherein said second device is a gateway

modem, and wherein said gateway modem is in communication with a client modem over a

telephone line.

Claim 21 (Original): The device of claim 20, wherein said device is a server.

Claim 22 (Original): The device of claim 14, wherein said device is a gateway modem

and said second device is a client modem.

Claim 23 (Original): A modem comprising:

a receiver capable of receiving a call from a first modem over a telephone line;

Page 7 of 20

a processing module capable of contacting a second modern over a packet network in response to said call, and capable of receiving information from said second modern relating to one or more data compression protocols supported by said second modern;

a handshaking module capable of establishing a connection with said first modem; and a data compression module capable of negotiating a first data compression protocol with said first modem;

wherein said first data compression protocol is according to said information relating to one of said one or more data compression protocols.

Claim 24 (Original): The modem of claim 23, wherein said modem is capable of receiving a first compressed data from said first modem, said first compressed data being compressed according to said first data compression protocol, and wherein said modem is capable of transmitting said first compressed data to said second modem.

Claim 25 (Currently Amended): The modem of claim 24, wherein said modem is capable of receiving a second compressed data from said second modem, said second compressed data being compressed according to a second data compression protocol, wherein said second data compression protocol differs from said first data compression protocol, wherein said modem is capable of decompressing said second compressed data according to said second data compression protocol to generate a second decompressed data, wherein said modem is capable of compressing said second decompressed data to generate a third compressed data, said third compressed data being compressed according to said first protocol, and wherein said modem is capable of transmitting said third compressed data to said first modem.

Claim 26 (Currently Amended): The modern of claim 23, wherein said modern is capable of receiving a second compressed data from said second modern, said second compressed data being compressed according to a second data compression protocol, wherein said second data compression protocol differs from said first data compression protocol, wherein said modern is capable of decompressing said second compressed data according to said second data compression protocol to generate a second decompressed data, wherein said modern is capable of compressing said second decompressed data to generate a third compressed data, said third compressed data being compressed according to said first protocol, and wherein said modern is capable of transmitting said third compressed data to said first modern.

Claim 27 (Original): The modem of claim 23, wherein said information relating to said one or more data compression protocols includes information relating to at least one parameter of at least one of said one or more data compression protocols.

Claim 28 (Original): The modem of claim 27, wherein said at least one parameter is a dictionary size.

Claim 29 (Original): The modem of claim 23, wherein said modem is capable of determining that said first data compression protocol, including its parameters, is the same as a second data compression protocol, including its parameters, negotiated between said second modem and a third modem, wherein said modem is capable of receiving a first compressed data from said second modem, said first compressed data being compressed according to said first

data compression protocol, and wherein said modem is capable of transmitting said first compressed data to said first modem.

Claim 30 (Original): A communication method for use in a communication system including a first modem, a second modem and a third modem, said method comprising the steps of:

receiving a call from said first modem by said second modem over a telephone line;

contacting said third modem by said second modem over a packet network, wherein said
third modem is in communication with a device;

receiving information, from said device by said second modem, relating to one or more data compression protocols supported by said device;

handshaking by said second modem with said first modem to establish a connection; and negotiating a first data compression protocol by said second modem with said first modem, wherein said first data compression protocol is according to said information relating to one of said one or more data compression protocols.

Claim 31 (Original): The method of claim 30, wherein said device is a server device.

Claim 32 (Original): The method of claim 30 further comprising the steps of:

receiving a first compressed data from said first modem by said second modem, wherein
said first compressed data is compressed according to said first data compression protocol; and
transmitting said first compressed data by said second modem.

Page 10 of 20

Claim 33 (Currently Amended): The method of claim 32 further comprising the steps of:

receiving a second compressed data from said device by said second modem, wherein said second compressed data is compressed according to a second data compression protocol, wherein said second data compression protocol differs from said first data compression protocol;

decompressing said second compressed data, by said second modem, according to said second data compression protocol to generate a second decompressed data; and

compressing said second decompressed data to generate a third compressed data, wherein said third compressed data is compressed by said second modern according to said first protocol; and

transmitting said third compressed data to said first modem by said second modem.

Claim 34 (Currently Amended): The method of claim 30 further comprising the steps of:

receiving a second compressed data from said device by said second modem, wherein said second compressed data is compressed according to a second data compression protocol, wherein said second data compression protocol differs from said first data compression protocol;

decompressing said second compressed data, by said second modem, according to said second data compression protocol to generate a second decompressed data; and

compressing said second decompressed data to generate a third compressed data, wherein said third compressed data is compressed by said second modern according to said first protocol; and

transmitting said third compressed data to said first modem by said second modem.

Page 11 of 20

Claim 35 (Original): The method of claim 30, wherein said information relating to said one or more data compression protocols includes information relating to at least one parameter of at least one of said one or more data compression protocols.

Claim 36 (Original): The method of claim 35, wherein said at least one parameter is a dictionary size.

Claim 36 (Original): The method of claim 30 further comprising the steps of:

determining that said first data compression protocol, including its parameters, is the same as a second data compression protocol, including its parameters, negotiated between said device and a fourth modem;

receiving a first compressed data from said device by said second modem, wherein said first compressed data is compressed according to said first data compression protocol; and transmitting said first compressed data to said first modem by said second modem.

Claims 38-49 (Cancelled)